

A


B

C

D

E

F



NO.	PART NO.	MATERIAL	PC	RAW MATERIAL	WEIGHT	NOTE
<div>SCABBLE TOLERANCE >0 ± 0.1 >6 ± 0.2 >30 ± 0.3 >120 ± 0.5 >315 ± 0.8</div>		DWG. 2012.10.25	Y.S.P	<div>WORLD WIDE</div>		
		DESN. 2012.10.25	Y.S.P			
		APPR.				
		DATE	NAME			
<div>MACHINING REQUIRED ~ NO-MACHINING ▽ 50S ▽▽ 25S ▽▽▽ 6S ANG. TOLERANCE±0.5</div>		SCALE	1:3.5	FIG. NO.	KHN57-H-56C	
				DWG. NO.	BKHF57	REV. A

A

B

C

D

E

F

1

2


3

4

5

6

7



NO.	PART NO.	MATERIAL	PC	RAW MATERIAL	WEIGHT	NOTE
SCABBLE TOLERANCE	DWG.	2012.10.25	Y.S.P	WORLD WIDE		
>0 ± 0.1	DESN.	2012.10.25	Y.S.P			
>6 ± 0.2	APPR.					
>30 ± 0.3				KHN57-H-143/5TC		
>120 ± 0.5						
>315 ± 0.8				BKHF57		
MACHINING REQUIRED	DATE	NAME	TITLE			
~ NO-MACHINING				REV. A		
▽ 50S						
▽ 25S	SCALE	1:3.5		DVG. NO.		
▽ 6S						
ANG. TOLERANCE ± 0.5						

A

B

C

D

E

F

1

2


3

4

5

6

7



OUTPUT BORE

INPUT BORE

NO.	SECTION	ORIGIN	MODIFICATION	DATE	IN CHARGE

NO.	PART NO.	MATERIAL	PC	RAW MATERIAL	WEIGHT	NOTE
SCABBLE TOLERANCE	DWG. 2012.10.25	Y.S.P				
>0 ± 0.1	DESN. 2012.10.25	Y.S.P				
>6 ± 0.2						
>30 ± 0.3						
>120 ± 0.5						
>315 ± 0.8						
MACHINING REQUIRED	DATE	NAME				
~ NO-MACHINING						
▽ 50S						
▽▽ 25S						
▽▽▽ 6S						
ANG. TOLERANCE±0.5	SCALE	1:3.5				

WORLD WIDE

KHN57-H-182/4TC

BKHF57

REV.

